

Arbiton
FLOOR EXPERT



VINYL FLOORING WITH MINERAL CORE



SUPERIORE





TECHNOLOGY

We are a flooring industry company dedicated to utilizing state-of-the-art technology and offering advanced products to our clients. Our emphasis on technological advancements ensures we consistently provide high-quality, modern flooring solutions.



INNOVATION

We are an European leader in the production of floor accessories. We offer advanced and innovative products. We are pushing the flooring industrie forwards for the more effective, ecological and durable solution.



DESIGN

Every year A.Design Studio analyzes trends, changes in consumer preferences and hundreds of new floor colors. That's why we can create customer orientated solutions and stay relevant.




Our latest collection of HD Mineral Core® flooring boasts the longest planks in the world, measuring a staggering 2.18 meters in length. These extra-long planks make for an incredibly seamless and sophisticated look, perfect for large spaces and modern interiors.

In addition to their impressive length, our SPC panels also feature a synchronized structure that mimics the natural texture and pattern of wood, giving them an authentic and elegant appearance. Each of the 8 colors in our collection includes 10 unique planks.

SUPERIORE

2180 mm



06 TECHNOLOGY

HD MINERAL CORE® TECHNOLOGY

ANTISCRATCH - TITANIUM NANO LAYER

BEAUTIFUL AND PRACTICAL

REAL WOOD STRUCTURE

20 DESIGN

DESIGNED BY A.DESIGN STUDIO

INTERIOR TRENDS

28 INNOVATIONS

WORLD'S FIRST MINERAL DRYBACK COLLECTION

ACULAY - ACOUSTIC FLOORS

34 COLLECTIONS

AMARON SUPERIORE

AMARON WOOD DESIGN

AMARON HERRINGBONE


WOODRIC EIR

WOODRIC

58 COMPREHENSIVE FLOORING SYSTEM

UNDERLAYS

SKIRTING BOARDS



TECHNOLOGY



We are a flooring industry company dedicated to utilizing state-of-the-art technology and offering advanced products to our clients.

Our emphasis on technological advancements ensures we consistently provide high-quality, modern flooring solutions.







Modern times become more and more hectic, full of challenges and responsibilities. We live fast, try to make the most of every single moment. We are pushed to look for new solutions, technologies and clever ways to adjust items all around us to meet needs and expectations. With this in mind, **Arbiton HD Mineral Core®** floor was created. This floor impresses and surprises with practicality. Inspired by nature, vinyl floors are entirely designed by European A.Design Studio. Created for people just like you, who get the most out of each moment and enjoy the life to the fullest. The Arbiton floor design not only matches the latest trends, but also goes ahead of times and creates them. Thanks to the timeless design its beauty will amaze you every day.

BEAUTIFUL & PRACTICAL

The pace of our life directs us towards solutions that will support and enhance us in everyday situations. That is why **Arbiton HD Mineral Core®** floors have been designed for their maximum comfort of use. Due to their advanced technical properties, they can be installed in any room without expansion joints between rooms. This allows to have beautiful, unified floor throughout the whole level of the apartment. With complete waterproofness and low thermal resistance they are perfect to fit in bathrooms with underfloor heating. They are easy to clean and antistatic, which prevents dust from adhering to them. Moreover, thanks to the innovative Antiscratch - Titanium Nano Layer they are up to 30% more scratch resistant. All of these features and properties mean that you get a floor which will meet the demands of our time. With Arbiton floor you can enjoy life thanks to not only its beauty but also a peace of mind with guaranteed unique functional properties.

BEAUTIFUL



Unique and realistic wood design selected from the most beautiful wood type in the world.



The widest plank available on the market - 229 mm - beautiful and the most natural looking floor.



Soft, delicate and mat finished flooring - the best representation of a real wood.



Nice and silent in everyday use vinyl flooring brings comfort and serenity to everyday life.


PRACTICAL




No need to be scared of water. Our floors are 100% waterproof. Frequent cleaning or spilled drinks are no longer dangerous to your floor. Without concerns you can connect your kitchen floor with the rest of your living space.



HD Mineral Core® primarily means extremely strong locking system which gives the whole flooring system a maximum durability. Despite of small thickness of the plank our locks are 2 times stronger than average LVT locks available on the market.



Very low thermal resistance of our floors means more effective use of the underfloor heating system. Thanks to HD Mineral Core® less fuel is needed for floor heating and over 60% less carbon is released into the atmosphere from one household in Europe, each year.



HD Mineral Core® also means high dimensional stability of the floor even in very sunny rooms. We offer at least 2 times higher dimensional stability of our floors in comparison to traditional LVT.

DIMENSIONAL STABILITY
(EN ISO 23999) up to 0,05%

OUR TECHNOLOGIES



Since introducing the mineral core flooring to the market in 2018, we have been continuously developing our technology. Each year, we introduce new innovations, such as the advanced ANTISCRATCH surface, which provides 30% greater protection against scratches.

We also implement innovative synchronous structures with low pattern repetition, creating a unique and visually appealing product.

These changes and innovations are made possible thanks to our in-house research laboratories and dedicated teams of technologists. Our commitment to innovation ensures that we remain at the forefront of the flooring industry.





In our laboratories we've discovered an innovative combination of natural rock minerals and advanced polymers. Carefully combined proportions ensure maximum performance of the floor. Our HD Mineral Core® provides extreme durability. We are proud of the quality of our HD Mineral Core® core free of phthalates and ANY plasticizers.



Our vinyl floor structure impeccably replicates the natural appearance of wood, boasting a significantly higher resolution than standard products. Additionally, the design offers remarkable uniqueness, with up to 10 distinctive planks in each color variant, ensuring a truly authentic aesthetic.



In 2020, the ANTISCRATCH technology was introduced, effectively eliminating the most common issue with vinyl flooring - micro-scratches -and providing enhanced durability for the flooring surface.




A suitable underlayment for click vinyl is essential, as it not only provides acoustic insulation but also contributes to the durability of the flooring, making it crucial to select an underlayment tailored to your specific needs.



Check out Design Bevel with Continuous Design. It's a new way that makes the pattern flow from one board to the next, even on the gap. It looks like real cut wood. The bevel has a "V" shape, and the wood design moves smoothly onto it. A fresh look for floors!



HD MINERAL CORE®



HARDNESS
and durability of natural
rock minerals

In our laboratories we've discovered an innovative combination of natural rock minerals and advanced polymers. Carefully combined proportions ensure maximum performance of the floor. Our HD Mineral Core® provides extreme durability which we confirm by giving you 20 year guarantee. We are proud of the quality of our products free of phthalates and harmful plasticizers.


**ANTISCRATCH -
TITANIUM NANO
LAYER**

**UV COATING
LAYER**

**WEAR
LAYER**

**DESIGN
LAYER**

**HD MINERAL
CORE®**




BENEFITS OF HD MINERAL CORE

THE PERFECT FLOOR FOR UNDERFLOOR HEATING





The perfect floor for underfloor heating
- maximize your energy efficiency with
Arbiton flooring! Efficient heating starts
with the right flooring - choose our high-
conductive option for underfloor heating



OUR DIMENSIONALLY STABLE FLOORING



is designed to withstand daily wear and tear,
year after year. Invest in long-lasting quality
with our stable and durable flooring option.
Prevent gaps and buckling for a seamless look.




THE SAME HIGH-QUALITY TECHNOLOGY IN OUR GLUE-DOWN AND CLICK FLOORING OPTIONS



Choose the installation method that suits
your needs - our technology is available
in both click or glue!

ANTISCRATCH LAYER


**30%
MORE**
RESISTANT SURFACE*

**ANTI-
SCRATCH**

**TITANIUM
NANO-LAYER**





**FLOOR WITH
ANTISCRATCH -
TITANIUM NANO LAYER**



**STANDARD
LVT**

For last couple of years, professional automotive workshops offer protection of a paint layer. For additional fee, we can protect the paint coating with specially selected cosmetics. This service is mostly done on the new car even before it has left the dealership. The factory lacquer coating is being covered with ceramic or nanoparticles coating.

This service satisfy the most demanding customers who want to enjoy the beautiful appearance of the car for years. Antiscratch - Titanium Nano Layer is inspired by these premium automotive detailing process. Antiscratch - Titanium Nano Layer protects the panels and secure them against micro scratches that can occur in the regular lifespan of use.

The Antiscratch - Titanium Nano Layer protective coating is available in the top Arbiton collections - Amaron and Woodric. Technology used in these collections outperform in durability and scratch-resistance tests the majority of vinyl panels on the market. As a result sand, or even mud are no longer a threat because of the Antiscratch - Titanium Nano Layer and waterproofness protection. This means that Arbiton Amaron and Woodric can be easily installed in kitchens, dining rooms or even in bathrooms. And all these rooms can be unified – up to 200 m² without additional expansion joints. The combination of HD Mineral Core® and Antiscratch - Titanium Nano Layer guarantees a beautiful floor for many years.

REAL WOOD STRUCTURE



High variety of designs means more natural impression of flooring. Perfect resemblance of wooden boards is a key benefit of our new collections. Minimum of 10 different planks in each colour means naturally flowing design without repetition of grains and knots.



**DEEP MATT
SURFACE**

**NATURAL FLOW
OF DESIGNED
STRUCTURE**

**HIGH RESOLUTION
EMBOSSING**

For those who strive for the best looking floor and high durability we have prepared an absolute novelty. Our new collections is made using embossing technology perfectly resembling wooden structure on a planks.

The EIR (embossed in register) technology we are using allow us to achieve higher resolution of embossing, meaning higher density of details enriching surface of planks. Our design has more knots, grain, clear figure, small indentation that create real wooden characteristic of the plank. A beautiful matte surface will gently emphasize the beautiful finish of the floor.

DESIGN BEVEL NEW LOOK



Our floors has a unique bevel inspired by true wooden boards and the delicate, continuous connection of the boards. Design Bevel perfectly resemble wood like look of the floor. This creates a warm and natural feeling. A.Design Studio reproduced the most welcomed and demanded bevel among all flooring.



**DESIGN
BEVEL**





We make use of the reputable Välinge company's license to ensure the highest quality for our flooring products. By incorporating their innovative locking system into our floors, we guarantee durability and ease of installation.



WOODRIC COLLECTION (4 mm)
4,5 kN/m (long) / 5,5 kN/m (short)




AMARON SUPERIORE COLLECTION (5 mm)
AMARON WOOD COLLECTION (5 mm)
5,2 kN/m (long) / 6,5 kN/m (short)



AMARON HERRINBONE COLLECTION (5 mm)
5,2 kN/m (long) / 6,5 kN/m (short)







DESIGN



Every year
A.Design Studio
analyzes trends, changes
in consumer preferences
and hundreds
of new floor colors.
That's why we can create
customer orientated
solutions and stay
relevant.







A DESIGN STUDIO.



OAK-INSPIRED FLOORING MASTERY

Our design studio specializes in creating stunning decor that reflects the look and feel of oak wood. We scour the world to find the finest quality oak wood and carefully study its unique patterns, grains, and colors.

Using advanced techniques and innovative technology, we replicate these natural elements in our flooring products. The result is a flooring solution that not only captures the beauty of oak wood, but also offers superior durability and longevity.

Our oak wood-inspired flooring is perfect for those who appreciate the elegance and charm of natural wood, but also want a practical and modern flooring solution. Our flooring products can be installed in a wide range of settings, from residential homes to commercial spaces.





At our design studio, we take pride in our commitment to quality and our passion for creating unique and beautiful designs. We're confident that our oak wood-inspired flooring will exceed your expectations and add warmth and character to your space.

TRENDS



In this chapter of our catalog, we explore the various interior design styles and how the shades and character of flooring can shape the overall look and feel of a space. The choice of flooring can significantly influence the ambiance, whether it's the clean lines of mid-century modern, the industrial charm of a loft, the cozy warmth of hygge, the free-spirited nature of boho, or the minimalist elegance of Japanese and wabi-sabi designs. Each style has its unique aesthetic, and selecting the right flooring can make all the difference in achieving your desired interior design. Let us guide you through these distinctive styles and help you find the perfect flooring solution to elevate your space.


Mid-century

Mid-century modern is a design style that originated in the mid-20th century, characterized by its clean lines, organic shapes, and emphasis on functionality. This style pays homage to the iconic furniture designs and architectural trends of the 1950s and 1960s, often incorporating elements such as tapered legs, geometric patterns, and a mix of natural and synthetic materials. The color palette for mid-century interiors typically includes a combination of neutral tones, vibrant colors, and earthy hues, reflecting the optimism and innovation of the era. In mid-century spaces, minimal ornamentation and an open layout create a sense of flow and harmony, allowing the iconic furniture pieces and accessories to take center stage. When it comes to flooring, oak floors with a warm, medium-toned finish and a subtle grain pattern are a perfect match for the mid-century style, providing a timeless and elegant backdrop that complements the distinctive design elements and adds a touch of warmth to the overall aesthetic.



NCS S8505-R80B

PANTONE 7484 C



SEGOVIAOAK
AMARON WOOD
CASS 225

Hygge

Hygge, a Danish concept that embodies a sense of coziness, warmth, and well-being, has gained significant popularity in the world of interior design. Hygge-inspired spaces prioritize comfort and create an atmosphere of tranquility, often featuring soft lighting, plush textiles, and an emphasis on natural materials. The color palette for this design style is typically neutral, with subtle hints of earthy tones and pastels that evoke a sense of calm and relaxation. Hygge interiors are designed to encourage connection, mindfulness, and the enjoyment of life's simple pleasures. In terms of flooring, oak floors with a light, soothing color palette and a natural, matte finish are an ideal choice for a hygge-inspired space, seamlessly blending with the gentle ambiance and promoting an overall sense of warmth and contentment.

NCS S7020-R70B


RAL5013

CORNEL OAK
AMARON WOOD
CAS 224



Boho

Boho, short for bohemian, is an eclectic and free-spirited interior design style that embraces a mix of colors, patterns, textures, and cultural influences. Boho interiors are characterized by a relaxed and inviting atmosphere, often featuring an abundance of greenery, vintage furniture, and a variety of decorative accents. Layering different textiles, such as rugs, throws, and cushions, is a key element of this design style, as well as incorporating a diverse range of art, antiques, and travel souvenirs. Boho spaces celebrate creativity, individuality, and the art of self-expression. When it comes to flooring, oak floors with warm, rich tones and a slightly distressed or aged finish provide the ideal foundation for a boho-inspired space, adding an authentic, lived-in charm that enhances the overall aesthetic.





PANTONE 480C

RAL 1032


BEATRICE OAK
AMARON SUPERIORE
CASS 205

Japandi

Japandi, a unique fusion of Japanese and Scandinavian design principles, has emerged as a popular interior design trend that brings together the best of both worlds. By combining the simplicity and minimalism of Scandinavian design with the elegance and sophistication of Japanese aesthetics, Japandi creates a harmonious balance between form and function. This design style emphasizes clean lines, natural materials, and a neutral color palette, creating a sense of serenity and tranquility within the space. Japandi interiors often feature a mix of wood, stone, and natural textures, as well as an emphasis on craftsmanship and attention to detail. When it comes to flooring, oak floors with a subtle, muted color palette and a natural, matte finish perfectly complement the Japandi style, echoing the warmth and timeless character of this design philosophy.



MATTARI OAK
AMARON WOOD
CAS 221




PANTONE 5005 U

RAL 7047

Wabi-Sabi

Wabi-sabi, a Japanese aesthetic philosophy, is centered around embracing the beauty of imperfection, impermanence, and simplicity. In interior design, wabi-sabi spaces celebrate the raw, organic, and unrefined aspects of life, often featuring natural materials, handcrafted elements, and a minimalist approach to decor. The color palette is dominated by subdued, earthy tones that evoke a sense of serenity and harmony with the natural world. Wabi-sabi interiors encourage mindfulness and appreciation for the imperfect charm of objects and spaces, fostering a deeper connection to the environment. When it comes to flooring, oak floors with a subtle, weathered appearance and a matte, organic finish are a perfect complement to the wabi-sabi style, echoing the philosophy's emphasis on embracing the inherent beauty of natural imperfections and the passage of time.




NCS S2005-Y60R




CHEVALIER OAK
AMARON SUPERIORE
CAS 234

EMPIRE OAK
AMARON WOOD
CAS 226




NCS S3030-Y50R



Loft

The loft style, inspired by the industrial and urban environments of converted warehouse spaces, is characterized by its open-concept layout, high ceilings, and exposed architectural elements such as brick walls and metal beams. In interior design, loft spaces typically feature a blend of raw, rugged materials and sleek, contemporary furnishings, creating a unique atmosphere that is both stylish and functional. The color palette for this design style is often neutral, with bold accents and a mix of textures to add visual interest and depth.

Loft interiors emphasize the use of repurposed, vintage, and industrial elements, resulting in a space that feels both modern and full of character. When it comes to flooring, oak floors with a dark, rich color palette and a slightly distressed or reclaimed finish are an excellent choice for a loft-inspired space, enhancing the industrial aesthetic and providing a strong, durable foundation for the overall design.



INNOVATIONS
~~~~~





## WORLD'S FIRST MINERAL DRYBACK COLLECTION



EXPERIENCE THE VERSATILITY OF DRYBACK

**Arbiton breaks new ground with the innovative Mineral Dryback technology.**

Featuring the cutting-edge HD Mineral Core®, is a first mineral dryback in the industry, delivering exceptional dimensional stability that prevents gaps between panels.

ONE FLOOR,  
MANY APPLICATIONS



Restaurant

Hotel





### IT'S DIMENSIONALLY STABLE

With its legendary dimensional stability of 0,05%, you can get rid of the annoying and unsightly gaps that appear at the panel joints after several seasons, especially in variable climatic conditions.

### IT'S PERFECT FOR FLOOR HEATING

$R=0,01 \text{ m}^2\text{K/W}$ ! Next to ceramic tiles, it is probably the most effective floor covering for underfloor heating in the world!

### IT'S FLEXIBLE

You can work with it like with any other lvt dryback, you can use the same tools and work in the same way.



### IT'S TESTED & APPROVED

Tested and recommended by all major adhesive manufacturers like: UZIN, MAPEI, BOSTIK, KIESEL, ARDEX, BAUTEC, WAKOL.

### IT'S EVEN MORE DURABLE

The Mineral Dryback floor made in HD Mineral Core® technology is even more durable. Usability Class 33/42, Antiscratch Titanium Nano Layer and parameter of  $RI=0,02$  makes it a perfect choice for commercial use.

### IT'S SUPER SILENT

Yes, it is! if you need a really quiet floor, a glued mineral dryback is the best choice.




## CLICK ACOUSTIC - WITH ACULAY INTEGRATED ACOUSTIC LAYER




We're excited to introduce our new vinyl floors with a HD Mineral Core® and special acoustic underlay, ACULAY. This mix makes installation quicker and easier. Plus, it offers great sound reduction. As a top underlay maker in Europe, we ensure ACULAY is tough and meets MMFA standards. It reduces noise by 21 dB (10Δ<sub>lin</sub>), making it perfect for homes.









# COLLECTIONS



Our latest collection of HD Mineral Core® flooring boasts the longest planks in the world, measuring a staggering 2.18 meters in length. These extra-long planks make for an incredibly seamless and sophisticated look, perfect for large spaces and modern interiors.









**VINYL CLICK**




**AMARON  
SUPERIORE**  
229 mm x 2180 mm




**AMARON  
WOOD**  
229 mm x 1511 mm




**AMARON  
HERRINGBONE**  
148 mm x 592 mm




**WOODRIC**  
229 mm x 1220 mm



# DRYBACK FLOORING




**AMARON  
HERRINGBONE**  
154 mm x 616 mm



2,5 / 0,55 mm




**AMARON  
WOOD**  
236 mm x 1518 mm



2,5 / 0,55 mm




**WOODRIC  
DRYBACK**  
236 mm x 1227 mm



2,5 / 0,55 mm

# AMARON SUPER!ORE




10 UNIQUE  
PLANK  
DESIGNS



25 YEARS  
WARRANTY  
RESIDENTIAL



THERMAL  
RESISTANCE  
0,014 m<sup>2</sup>K/W



5,0 / 0,55 mm







SEGOVIA OAK  
CASS 225

# AMARON SUPER!ORE



A collection created for the most demanding. The largest panel available, 2180 mm long and 229 mm wide. Additionally, NATURAL SYNCHRON STRUCTURE, faithfully resembles natural wood. In four delightful designs, beautiful natural shades of oak. The perfect floor, created for perfect interiors.



BURBON OAK  
CASS 208



BEATRICE OAK

**CASS 205**

EAN: 5905167856505



ASTURIA OAK

**CASS 210**

EAN: 5905167856536



CHEVALIER OAK

**CASS 234**

EAN: 5905167856567



CHARLOTTE OAK

**CASS 233**

EAN: 5905167856550



BURBON OAK

**CASS 208**

EAN: 5905167856529



GREYLAND OAK

**CASS 202**

EAN: 5905167856543





**SEGOVIA OAK**

**CASS 225**

EAN: 5905167856512



**BALMORAL OAK**

**CASS 235**

EAN: 5905167856574



**BALMORAL OAK**  
**CASS 235**

# AMARON WOOD



10 DESIGNS



4 DESIGNS



CLICK  
FLOORING







DRYBACK  
FLOORING



25 YEARS  
WARRANTY  
RESIDENTIAL



THERMAL  
RESISTANCE:  
DRYBACK - 0,01 m<sup>2</sup>K/W  
CLICK - 0,014 m<sup>2</sup>K/W







ROCHESTER OAK  
CAS 229

# AMARON

## WOOD



Amaron WOOD means expressive designs which will create the character of the interior. The floors in this collection have the highest usage class, created for the most demanding customers. This floor will play first fiddle. The 5G lock makes the floor easy and fast to install. A beautiful floor is a crucial element of interior design. It brings character to the unified design or lets you play a bit with contrast in modern or typically loft interiors. In any way, the floor is the element that helps to create an interesting space- where colours, textures and shapes result in the imagined effect-a sense of harmony and undisputed beauty. Having that in mind, we have created Amaron Wood vinyl click floor.



ALASKAN OAK

**CAS 102**

Click: 5905167856369

Dryback: 5905167857694



YANKEE OAK

**CAS 153**

Click: 5905167856376

Dryback: 5905167857700



SIERRA OAK

**CAS 154**

Click: 5905167856383

Dryback: 5905167857717



GEORGETOWN OAK

**CAS 147**

Click: 5905167856390

Dryback: 5905167857724




TAMPA OAK

**CAS 220**

Click: 5905167856406

Dryback: 5905167857731



MATTARI OAK

**CAS 221**

Click: 5905167856413

Dryback: 5905167857748




JOHANNES OAK

**CAS 222**

Click: 5905167856420

Dryback: 5905167857755



MENOR OAK

**CAS 223**

Click: 5905167856437

Dryback: 5905167857762






**CORNEL OAK**

**CAS 224**

Click: 5905167856444

Dryback: 5905167857779



**MONTANA OAK**

**CAS 225**

Click: 5905167856451

Dryback: 5905167857786




**EMPIRE OAK**

**CAS 226**

Click: 5905167856468

Dryback: 5905167857793



**VIRGIN OAK**

**CAS 227**

Click: 5905167856475

Dryback: 5905167857809



**PRINCETON OAK**

**CAS 228**

Click: 5905167856482

Dryback: 5905167857816



**ROCHESTER OAK**

**CAS 229**

Click: 5905167856499

Dryback: 5905167857823



**PRINCETON OAK  
CAS 228**

# AMARON HERRINGBONE



4 DESIGNS



10 DESIGNS



CLICK  
FLOORING




DRYBACK  
FLOORING




25 YEARS  
WARRANTY  
RESIDENTIAL



THERMAL  
RESISTANCE:  
DRYBACK - 0,01 m<sup>2</sup>K/W  
CLICK - 0,014 m<sup>2</sup>K/W




5,0 / 0,55 mm




148 mm

592 mm



2,5 / 0,55 mm





154 mm

616 mm







**4 PATTERNS  
OF FLOOR  
LAYING**



# AMARON

## HERRINGBONE



Fashion passes- just to return later. Trends come and go but precious few hold on for a long time.

Our Amaron Herringbone vinyl click floor is designed to belong to the latter group.

Thanks to specially designed locking system this collection might be arranged in the iconic English herringbone pattern. This is an amazing way to adjunct traditional interior arrangements.

The main element that indicates the direction of the interior style is the floor – any further decisions regarding the interior are based upon it. Furniture, textures, fabrics, accessories – all of those either correspond to the selected floor or stay in opposition on the basis of divergence.

Regardless of which approach you choose, you can stay calm knowing that the Arbiton panels will secure you the highest quality.



**PRESTON OAK**

**CA 167**

Click: 5905167839362

Dryback: 5905167857595



**HARLOW OAK**

**CA 158**

Click: 5905167826676

Dryback: 5905167857557



**WEMBLEY OAK**

**CA 159**

Click: 5905167826683

Dryback: 5905167857564



**YANKEE OAK**

**CA 153**

Click: 5905167839348

Dryback: 5905167857571



**DEARWOOD OAK**

**CA 187**

Click: 5905167839522

Dryback: 5905167857632



**STAMFORD OAK**

**CA 181**

Click: 5905167839515

Dryback: 5905167857625



**WINDSOR OAK**

**CA 184**

Click: 5905167839539

Dryback: 5905167857649



**GEORGETOWN OAK**

**CA 147**

Click: 5905167839355

Dryback: 5905167857588



**HAYWORTH OAK**

**CAS 176**

Click: 5905167839492

Dryback: 5905167857601



**MEDICCI OAK**

**CAS 177**

Click: 5905167839508


Dryback: 5905167857618



**BURBON OAK**  
**CAS 208**



**GEORGETOWN OAK**  
**CAS 147**



**NEW**


**REAL**  
**WOOD**  
**STRUCTURE**

**BURBON OAK**

**CAS 208**

Click: 5905167857113

Dryback: 5905167857670



**NEW**


**REAL**  
**WOOD**  
**STRUCTURE**

**MENOR OAK**

**CAS 223**

Click: 5905167857090

Dryback: 5905167857656



**NEW**


**REAL**  
**WOOD**  
**STRUCTURE**

**DEVENTER OAK**

**CAS 236**

Click: 5905167857120

Dryback: 905167857687



**NEW**

**REAL**  
**WOOD**  
**STRUCTURE**

**EMPIRE OAK**

**CAS 226**


Click: 5905167857106

Dryback: 5905167857663

# ARBITON WOODRIC EIR



12 DESIGNS









10 UNIQUE  
PLANK  
DESIGNS



20 YEARS  
WARRANTY  
RESIDENTIAL



THERMAL  
RESISTANCE:  
DRYBACK - 0,01 m<sup>2</sup>K/W  
CLICK - 0,012 m<sup>2</sup>K/W







**CLICK  
FLOORING**



**DRYBACK  
FLOORING**



**ACULAY**  
INTEGRATED ACOUSTIC  
LAYER

**3 SYSTEMS  
OF FLOOR  
INSTALLATION**

# WOODRIC EIR



Woodric EIR has beautiful 12 designs that are enriched with deep embossing to resemble natural wood board in the most honest way. Embossed in register technology allow to create indentation on the board that will create the unique pattern of wood. All of this premium visual and haptic features comes with well-known durability of HD Mineral Core® technology.



DAYTON OAK



BALTIMORE OAK

**CWS 201**

Click: 5905167847671

Dryback: 5905167855591

Acoustic: 5905167858271

**CWS 202**

Click: 5905167847688

Dryback: 5905167855607


Acoustic: 5905167858288



BRANDON OAK



ELDBORG OAK



HIGHLANDS OAK



LAVANT OAK

**CWS 203**

Click: 5905167847695

Dryback: 5905167855614

Acoustic: 5905167858295

**CWS 204**

Click: 5905167847701

Dryback: 5905167855621

Acoustic: 5905167858301

**CWS 205**

Click: 5905167847718

Dryback: 5905167855638

Acoustic: 5905167858318

**CWS 206**

Click: 5905167847725

Dryback: 5905167855645

Acoustic: 5905167858325




NORDLAND OAK



GARLAND OAK



SALERNO OAK



CAVILLON OAK

**CWS 207**

Click: 5905167847732

Dryback: 5905167855652

Acoustic: 5905167858332

**CWS 208**

Click: 5905167847749

Dryback: 5905167855669

Acoustic: 5905167858349

**CWS 209**

Click: 5905167847756

Dryback: 5905167855676

Acoustic: 5905167858356

**CWS 210**

Click: 5905167847763

Dryback: 5905167855683

Acoustic: 5905167858363





**DALLAS OAK**

**CWS 211**

Click: 5905167847770

Dryback: 5905167855690

Acoustic: 5905167858370



**LINCOLN OAK**

**CWS 212**

Click: 5905167847787

Dryback: 5905167855706

Acoustic: 5905167858387



**DAYTON OAK**  
CWS 201



**NORDLAND OAK**  
CWS 207



# ARBITON WOODRIC









12 DESIGNS




20 YEARS  
WARRANTY  
RESIDENTIAL




THERMAL  
RESISTANCE:  
DRYBACK - 0,01 m<sup>2</sup>K/W  
CLICK - 0,012 m<sup>2</sup>K/W





**CLICK  
FLOORING**



**DRYBACK  
FLOORING**



**ACULAY**  
INTEGRATED ACOUSTIC  
LAYER

**3 SYSTEMS  
OF FLOOR  
INSTALLATION**

# WOODRIC



Our newest collection of vinyl click floors. This floor is made in Europe in new Arbiton's factory. Woodric will amaze even the most demanding people and provide them the best quality and 12 modern designs. With 0,5 mm wear layer and additional protective antiscratch layer you can be sure Woodric will withstand anything your household members will throw at it!



**WHITECREEK OAK**

**CW 175**

Click: 5905167847558

Dryback: 5905167855478

Acoustic: 5905167858158



**HAYWORTH OAK**

**CW 176**

Click: 5905167847565

Dryback: 5905167855485

Acoustic: 5905167858165



**MEDICCI OAK**

**CW 177**

Click: 5905167847572

Dryback: 5905167855492

Acoustic: 5905167858172



**PETERSON OAK**

**CW 178**

Click: 5905167847589

Dryback: 5905167855508

Acoustic: 5905167858189



**ROCKFORD OAK**

**CW 179**

Click: 5905167847596

Dryback: 5905167855515

Acoustic: 5905167858196



**LAWRENCE OAK**

**CW 180**

Click: 5905167847602

Dryback: 5905167855522

Acoustic: 5905167858202



**STAMFORD OAK**

**CW 181**

Click: 5905167847619

Dryback: 5905167855539

Acoustic: 5905167858219



**HOLMAN OAK**

**CW 182**

Click: 5905167847626

Dryback: 5905167855546

Acoustic: 5905167858226



**ROSEVILLE OAK**

**CW 183**

Click: 5905167847633

Dryback: 5905167855553

Acoustic: 5905167858233



**WINDSOR OAK**

**CW 184**

Click: 5905167847640

Dryback: 5905167855560

Acoustic: 5905167858240





**TIMBERSLAND OAK**

**CW 185**

Click: 5905167847657

Dryback: 5905167855577

Acoustic: 5905167858257



**LAKEWOOD OAK**

**CW 186**

Click: 5905167847664

Dryback: 5905167855584

Acoustic: 5905167858264



**WINDSOR OAK**  
**CW 184**

# COMPREHENSIVE FLOORING SYSTEM



UNDERLAYS  
SKIRTING BOARDS









## UNDERLAYS



### MULTIPROTEC VINYL CLICK

Special needs require special solutions. For areas with high level of traffic. Floors with click system require an underlay with high value of Compressive Strength. This is exactly what you can expect from our products. If the underfloor will be used do not worry you are covered – our products also perform well with underfloor heating thanks to the low value of thermal resistance. Additionally, Multiprotec products have a **Bfl-S1 fire class**.



[www.blauer-engel.de/uz156](http://www.blauer-engel.de/uz156)



### SECURA VINYL CLICK

Products dedicated for vinyl floors with click system. Suitable for areas with high traffic level. High CS value improves the quality of the system and increases the durability of the floor. This product is very easy to install and align thanks to accordion form and cutting lines. High IS value - **(IS = 19 dB)** for this XPS products allows for implementation in commercial areas where special parameters are required.



## MULTIPROTEC VINYL CLICK



|           |                           |
|-----------|---------------------------|
| MATERIAL  | PUM+PET                   |
| THICKNESS | 1,4 mm                    |
| FORM      | ROLL / 8,5 m <sup>2</sup> |

|                 |                               |
|-----------------|-------------------------------|
| PC              | CLASS PC2 (<1,2 mm)           |
| CS              | CLASS CS3 (400 kPa)           |
| CC              | CLASS CC3 (<70 kPa)           |
| DL              | CLASS DL3 (>3 000 000 CYCLES) |
| RLB             | CLASS RLB3 (≤1500 mm)         |
| IS              | <16 dB                        |
| RWS             | 58 sonos                      |
| FLOOR HEATING   | YES                           |
| THERMAL COMFORT | <0,008 m <sup>2</sup> K/W     |
| SD              | >75 m                         |
| EAN             | 5905167776339                 |

## MULTIPROTEC VINYL CLICK ANTISLIP



|           |                           |
|-----------|---------------------------|
| MATERIAL  | PUM                       |
| THICKNESS | 1,6 mm                    |
| FORM      | ROLL / 8,5 m <sup>2</sup> |

|                 |                               |
|-----------------|-------------------------------|
| PC              | CLASS PC2 (<1,4 mm)           |
| CS              | CLASS CS3 (400 kPa)           |
| CC              | CLASS CC3 (<60 kPa)           |
| DL              | CLASS DL3 (>3 000 000 CYCLES) |
| RLB             | CLASS RLB3 (≤1500 mm)         |
| IS              | <16 dB                        |
| RWS             | 58 sonos                      |
| FLOOR HEATING   | YES                           |
| THERMAL COMFORT | <0,008 m <sup>2</sup> K/W     |
| SD              | -                             |
| EAN             | 5905167721230                 |

\* REMOVE PROTECTIVE FOIL BEFORE INSTALL PANELS

## MULTIPROTEC CLICK ACOUSTIC



|           |                         |
|-----------|-------------------------|
| MATERIAL  | PUM+PET                 |
| THICKNESS | 2,2 mm                  |
| FORM      | ROLL / 7 m <sup>2</sup> |

|                 |                               |
|-----------------|-------------------------------|
| PC              | CLASS PC2 (<1,7 mm)           |
| CS              | CLASS CS3 (300 kPa)           |
| CC              | CLASS CC3 (<50 kPa)           |
| DL              | CLASS DL3 (>3 000 000 CYCLES) |
| RLB             | CLASS RLB2 (≤1100 mm)         |
| IS              | <18 dB                        |
| RWS             | 58 sonos                      |
| FLOOR HEATING   | YES                           |
| THERMAL COMFORT | <0,01 m <sup>2</sup> K/W      |
| SD              | >75 m                         |
| EAN             | 5905167846063                 |


## SECURA VINYL CLICK



|           |                             |
|-----------|-----------------------------|
| MATERIAL  | M-XPS+PET                   |
| THICKNESS | 1,5 mm                      |
| FORM      | SMART / 6,25 m <sup>2</sup> |


|                 |                                     |
|-----------------|-------------------------------------|
| PC              | CLASS PC2 (<1,0 mm)                 |
| CS              | CLASS CS3 (400 kPa)                 |
| CC              | CLASS CC2 (<40 kPa)                 |
| DL              | CLASS DL3 (>1 000 000 CYCLES)       |
| RLB             | CLASS RLB3 (≤1500 mm)               |
| IS              | up to 21 dB / 10 dB Δ <sub>in</sub> |
| RWS             | 60 sonos                            |
| FLOOR HEATING   | YES                                 |
| THERMAL COMFORT | <0,04 m <sup>2</sup> K/W            |
| SD              | >150 m                              |
| EAN             | 5905167816943                       |

TORE MONOCOLOR





**PROTECTIVE FOIL**  
Protective foil removable  
after renovation



**01 | White (RAL 9003)**  
TORE80 | 5905167845905  
 | 22 m




**05 | Black (RAL 9011)**  
TORE80 | 5905167845912  
 | 22 m







STIQ XL




100%  
WATERPROOF




JUST GLUE




R2  
QUAD  
R2 DESIGN




SUPER  
FLEXIBLE





IMPACT  
RESISTANT




PROTECTIVE  
FOIL




White  
STX610 | 5905167839874  
 44 m



White  
STX810 | 5905167839881  
 44 m



White  
STX820 | 5905167839898  
 44 m

# COLLECTIONS

|                           | CLICK    | EAN           |
|---------------------------|----------|---------------|
| <b>AMARON SUPERIORE</b>   | <b>+</b> |               |
| BEATRICE OAK              | CASS 205 | 5905167856505 |
| SEGOVIA OAK               | CASS 225 | 5905167856512 |
| BURBON OAK                | CASS 208 | 5905167856529 |
| ASTURIA OAK               | CASS 210 | 5905167856536 |
| GREYLAND OAK              | CASS 202 | 5905167856543 |
| CHARLOTTE OAK             | CASS 233 | 5905167856550 |
| CHEVALIER OAK             | CASS 234 | 5905167856567 |
| BALMORAL OAK              | CASS 235 | 5905167856574 |
| <b>AMARON WOOD</b>        | <b>+</b> |               |
| ALASKAN OAK               | CA 102   | 5905167856369 |
| YANKEE OAK                | CA 153   | 5905167856376 |
| SIERRA OAK                | CA 154   | 5905167856383 |
| GEORGETOWN OAK            | CA 147   | 5905167856390 |
| TAMPA OAK                 | CAS 220  | 5905167856406 |
| MATTARI OAK               | CAS 221  | 5905167856413 |
| JOHANNES OAK              | CAS 222  | 5905167856420 |
| MENOR OAK                 | CAS 223  | 5905167856437 |
| CORNEL OAK                | CAS 224  | 5905167856444 |
| MONTANA OAK               | CAS 225  | 5905167856451 |
| EMPIRE OAK                | CAS 226  | 5905167856468 |
| VIRGIN OAK                | CAS 227  | 5905167856475 |
| PRINCETON OAK             | CAS 228  | 5905167856482 |
| ROCHESTER OAK             | CAS 229  | 5905167856499 |
| <b>AMARON HERRINGBONE</b> | <b>+</b> |               |
| HARLOW OAK                | CA 158   | 5905167826676 |
| WEMBLEY OAK               | CA 159   | 5905167826683 |
| YANKEE OAK                | CA 153   | 5905167839348 |
| GEORGETOWN OAK            | CA 147   | 5905167839355 |
| PRESTON OAK               | CA 167   | 5905167839362 |
| HAYWORTH OAK              | CA 176   | 5905167839492 |
| MEDICCI OAK               | CA 177   | 5905167839508 |
| STAMFORD OAK              | CA 178   | 5905167839515 |
| DEARWOOD OAK              | CA 187   | 5905167839522 |
| WINDSOR OAK               | CA 184   | 5905167839539 |
| MENOR OAK                 | CAS 223  | 5905167857090 |
| EMPIRE OAK                | CAS 226  | 5905167857106 |
| BURBON OAK                | CAS 208  | 5905167857113 |
| DEVENTER OAK              | CAS 236  | 5905167857120 |



[illegible]



# COLLECTIONS

|                 | CLICK   | EAN           |
|-----------------|---------|---------------|
| WOODRIC         | +       |               |
| WHITECREEK OAK  | CW 175  | 5905167847558 |
| HAYWORTH OAK    | CW 176  | 5905167847565 |
| MEDICCI OAK     | CW 177  | 5905167847572 |
| PETERSON OAK    | CW 178  | 5905167847589 |
| ROCKFORD OAK    | CW 179  | 5905167847596 |
| LAWRENCE OAK    | CW 180  | 5905167847602 |
| STAMFORD OAK    | CW 181  | 5905167847619 |
| HOLMAN OAK      | CW 182  | 5905167847626 |
| ROSEVILLE OAK   | CW 183  | 5905167847633 |
| WINDSOR OAK     | CW 184  | 5905167847640 |
| TIMBERSLAND OAK | CW 185  | 5905167847657 |
| LAKEWOOD OAK    | CW 186  | 5905167847664 |
| WOODRIC EIR     | +       |               |
| DAYTON OAK      | CWS 201 | 5905167847671 |
| BALTIMORE OAK   | CWS 202 | 5905167847688 |
| BRANDON OAK     | CWS 203 | 5905167847695 |
| ELDBORG OAK     | CWS 204 | 5905167847701 |
| HIGHLANDS OAK   | CWS 205 | 5905167847718 |
| LAVANT OAK      | CWS 206 | 5905167847725 |
| NORDLAND OAK    | CWS 207 | 5905167847732 |
| GARLAND OAK     | CWS 208 | 5905167847749 |
| SALERNO OAK     | CWS 209 | 5905167847756 |
| CAVAILLON OAK   | CWS 210 | 5905167847763 |
| DALLAS OAK      | CWS 211 | 5905167847770 |
| LINCOLN OAK     | CWS 212 | 5905167847787 |



| CLICK ACOUSTIC |               | DRYBACK |               | EAN |
|----------------|---------------|---------|---------------|-----|
| +              |               | +       |               |     |
| CWA 175        | 5905167858158 | DW 175  | 5905167855478 |     |
| CWA 176        | 5905167858165 | DW 176  | 5905167855485 |     |
| CWA 177        | 5905167858172 | DW 177  | 5905167855492 |     |
| CWA 178        | 5905167858189 | DW 178  | 5905167855508 |     |
| CWA 179        | 5905167858196 | DW 179  | 5905167855515 |     |
| CWA 180        | 5905167858202 | DW 180  | 5905167855522 |     |
| CWA 181        | 5905167858219 | DW 181  | 5905167855539 |     |
| CWA 182        | 5905167858226 | DW 182  | 5905167855546 |     |
| CWA 183        | 5905167858233 | DW 183  | 5905167855553 |     |
| CWA 184        | 5905167858240 | DW 184  | 5905167855560 |     |
| CWA 185        | 5905167858257 | DW 185  | 5905167855577 |     |
| CWA 186        | 5905167858264 | DW 186  | 5905167855584 |     |
| +              |               | +       |               |     |
| CWSA 201       | 5905167858271 | DWS 201 | 5905167855591 |     |
| CWSA 202       | 5905167858288 | DWS 202 | 5905167855607 |     |
| CWSA 203       | 5905167858295 | DWS 203 | 5905167855614 |     |
| CWSA 204       | 5905167858301 | DWS 204 | 5905167855621 |     |
| CWSA 205       | 5905167858318 | DWS 205 | 5905167855638 |     |
| CWSA 206       | 5905167858325 | DWS 206 | 5905167855645 |     |
| CWSA 207       | 5905167858332 | DWS 207 | 5905167855652 |     |
| CWSA 208       | 5905167858349 | DWS 208 | 5905167855669 |     |
| CWSA 209       | 5905167858356 | DWS 209 | 5905167855676 |     |
| CWSA 210       | 5905167858363 | DWS 210 | 5905167855683 |     |
| CWSA 211       | 5905167858370 | DWS 211 | 5905167855690 |     |
| CWSA 212       | 5905167858387 | DWS 212 | 5905167855706 |     |

# COLLECTIONS

|                           | CLICK                             | CLICK ACOUSTIC                    | DRYBACK                           |
|---------------------------|-----------------------------------|-----------------------------------|-----------------------------------|
| <b>AMARON SUPERIORE</b>   | <b>+</b>                          |                                   |                                   |
| Dimensions                | 2180 x 229 mm                     |                                   |                                   |
| Thickness                 | 5,0 / 0,55 mm                     |                                   |                                   |
| Box                       | 5 pcs / 2,496 m <sup>2</sup>      | X                                 | X                                 |
| Pallet                    | 45 pcs / 112,320 m <sup>2</sup>   |                                   |                                   |
| Residential warranty      | 25 years                          |                                   |                                   |
| <b>AMARON WOOD</b>        | <b>+</b>                          |                                   | <b>+</b>                          |
| Dimensions                | 1511 x 229 mm                     |                                   | 1518 x 236 mm                     |
| Thickness                 | 5,0 / 0,55 mm                     |                                   | 2,5 / 0,55 mm                     |
| Box                       | 6 pcs / 2,076 m <sup>2</sup>      | X                                 | 12 pcs / 4,298 m <sup>2</sup>     |
| Pallet                    | 56 boxes / 116,256 m <sup>2</sup> |                                   | 56 boxes / 240,688 m <sup>2</sup> |
| Residential warranty      | 25 years                          |                                   | 25 years                          |
| <b>AMARON HERRINGBONE</b> | <b>+</b>                          |                                   | <b>+</b>                          |
| Dimensions                | 592 x 148 mm                      |                                   | 616 x 154 mm                      |
| Thickness                 | 5,0 / 0,55 mm                     |                                   | 5,0 / 0,55 mm                     |
| Box                       | 16 pcs / 1,402 m <sup>2</sup>     | X                                 | 32 pcs / 3,035 m <sup>2</sup>     |
| Pallet                    | 72 boxes / 100,944 m <sup>2</sup> |                                   | 63 boxes / 191,205 m <sup>2</sup> |
| Residential warranty      | 25 years                          |                                   | 25 years                          |
| <b>WOODRIC</b>            | <b>+</b>                          | <b>+</b>                          | <b>+</b>                          |
| Dimensions                | 1220 x 229 mm                     | 1220 x 229 mm                     | 1227 x 236 mm                     |
| Thickness                 | 4,0 / 0,55 mm                     | 5,3 / 1,3 / 0,55 mm               | 2,5 / 0,55 mm                     |
| Box                       | 8 pcs / 2,235 m <sup>2</sup>      | 8 pcs / 2,235 m <sup>2</sup>      | 12 pcs / 3,474 m <sup>2</sup>     |
| Pallet                    | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 166,752 m <sup>2</sup> |
| Residential warranty      | 20 years                          | 20 years                          | 25 years                          |
| <b>WOODRIC EIR</b>        | <b>+</b>                          | <b>+</b>                          | <b>+</b>                          |
| Dimensions                | 1220 x 229 mm                     | 1220 x 229 mm                     | 1227 x 236 mm                     |
| Thickness                 | 4,0 / 0,55 mm                     | 5,3 / 1,3 / 0,55 mm               | 2,5 / 0,55 mm                     |
| Box                       | 8 pcs / 2,235 m <sup>2</sup>      | 8 pcs / 3,474 m <sup>2</sup>      | 12 pcs / 3,474 m <sup>2</sup>     |
| Pallet                    | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 107,280 m <sup>2</sup> | 48 boxes / 166,752 m <sup>2</sup> |
| Residential warranty      | 20 years                          | 20 years                          | 25 years                          |



| PERFORMANCE LEVEL                                                                                                                                                                                                                                                 | SOFT STRUCTURE | REAL WOOD STRUCTURE | LOCKING SYSTEM                                                                        |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------|---------------------|---------------------------------------------------------------------------------------|
| <br><br>       | X              | 8<br>DESIGNS        |    |
| <br><br>       | 4<br>DESIGNS   | 10<br>DESIGNS       |    |
| <br><br> | 10<br>DESIGNS  | 4<br>DESIGNS        |  |
| <br><br> | 12<br>DESIGNS  | X                   |  |
| <br><br> | X              | 12<br>DESIGNS       |  |



[www.arbiton.com](http://www.arbiton.com)

The catalogue is a free of charge presentation of products of Decora S.A. and acc. to valid law it is not a commercial offer. Colors and textures of the products in pictures may differ from real ones because of limited printing technologies. Decora S.A. reserves its right to alter availability of the products on some markets and at some distributors. The products included in the catalogues do not pose a complete offer of Decora S.A.

#### **DECORA GROUP**

Decora S.A., ul. Prądyńskiego 24a  
63-000 Środa Wlkp., Polska  
tel.: +48 61 28 64 200  
fax: +48 61 28 54 975  
e-mail: [sales@decora.pl](mailto:sales@decora.pl)  
[www.arbiton.com](http://www.arbiton.com)

#### **GERMANY**

ewifoam E. Wicklein GmbH  
Stockumer Str. 28  
58453 Witten  
Tel.: +49 (0) 9261 50 490-0  
Fax.: +49 (0) 9261 50 490-50  
[info@ewifoam.de](mailto:info@ewifoam.de)  
[www.ewifoam.de](http://www.ewifoam.de)

v04.2023