



Made by Kronospan

everyone's favourite flooring








Welcome to our world www.krono-original.com

Design and surface textures		
Sustainability	30	
Features guide	11	
Format overview	12	
Assortment	14	

Collections



TITAN PRESTIGE	16
FLOORDREAMS VARIO	20
X-WAY	26
VINTAGE LONG	34
VINTAGE CLASSIC	4(
SUPREME VARIO	48
IMPRESSIONS	52
SUPER NATURAL CLASSIC	58
VARIOSTEP WIDE BODY	68
VARIOSTEP CLASSIC	72
CASTELLO CLASSIC	82
KRONOFIX CLASSIC	88

Accessories	96
Packaging information	99
Skirting boards-Decor matching overview	100
Made by Kronospan	102

Over 140 designs.

From classic to modern. So there will always be a floor that is to your taste.



Elegant floors. Aesthetically pleasing and high quality. Available in more than 140 attractive designs to give your surroundings a unique flair. Let yourself be inspired by the diversity of KronoOriginal® floors.





The look and feel of real wood and stone.

The latest KronoOriginal® collection is our widest-ever range of new decors; they comprise new trends, and new surface textures and finishes inspired by leading designers. We constantly work to develop our products, creating new unique decors with perfectly matched wood and stone textures and panels of different sizes.




































Wood is our world.

And wood is natural. Consequently, we are at one with nature. In our production and in our philosophy.

Because we want to give back to nature what it gives us in quality of life. That's why we are careful to only use wood from sustainably managed forests. PEFC certified. With completely traceable origin. In our manufacturing processes too, the environment is always foremost in our mind. Our objective is to keep waste

from production as low as possible – and indeed throughout the entire product life cycle.

We achieve a high recycling rate within the manufacturing process or alternatively use waste material to generate carbonneutral energy for our production facilities. Our water and energy consumption is constantly monitored. This enables us to quickly identify potential savings and of course implement them in an environmentally friendly way.

This affinity for nature carries over into our products. Our floors are not only environmentally friendly, but also contribute to a healthy living environment.

















EN 14041:2004/AC:2006; C_{ff}-s1; E1; DS; PCP < 5ppm; 0,08 W/(m·K), Bodenbeläge für die Verwendung in Gebäuden, DOP: LW0012017/NB 0766; NB 0767; Kronoflooring GmbH, Mühlbacher Str.1, 01561 Lampertswalde, Germany, DoP siehe https://www.krono-original.com/de/guarantee








^{*1} Statement on level of emission of volatile substances in indoor air posing a toxic threat during inhaling – on a scale from A+ (very low-emission) to C (high-emission). For further information: www.eco-institut.de/en/portfolio/emissions-dans-lair-interieur

^{*2} www.eco-institut.de/en

^{*3} www.pefc.org

^{*4} www.scsglobalservices.com/floorscore





Your benefits at a glance.



GUARANTEE

All KronoOriginal® laminate floors are put through a series of rigorous tests in order to comply with international quality standards, which is why we grant an extensive residential warranty with every product (detailed terms of guarantee: www.krono-original.com).



AUTHENTIC EMBOSSED

The high quality Authentic Embossed structures feature elegant contrasting and a thrilling multi-gloss effect that emphasises the depth of the structure with matt and gloss elements that reflect the light differently. The synchronous pores follow the grain of the decor, meaning they flawlessly mimic the character of natural wood.



STAIN AND IMPRINT RESISTANT

Whatever you might spill, whether red wine, oil or coffee, don't panic; it can be easily removed. KronoOriginal® is also abrasion resilient, robust and durable.



HANDSCRAPED

A breathtakingly elegant and realistic oiled finish, with gentle irregular undulations, inspired by traditional Amish craftsmanship. The soft matt surface replicates the hardwood area of solid flooring gently polished over time due to footfall. Meanwhile the deep matt pores are highlighted with glossy accents.



ECO FRIENDLY

All KronoOriginal® floors are environmentally friendly as standard made of up to 90% wood sourced from sustainably managed forests. What's more, the entire production chain – from raw materials to the finished product – has been certified and is regularly inspected by independent experts, ensuring peace of mind for you – and protection of our environment.



MICROSCRATCH PROTECT

This especially durable surface will protect your floors even better against micro-scratches which can occur through heavy use. With Microscratch Protect, your flooring will be well-protected against fine scratches and everyday wear and tear.



A.B.C. ANTI BACTERIAL COATING

Keeping your flooring as clean and free of bactria as possible is naturally a major concern. A KronoOriginal® A.B.C. Anti Bacterial Coating inhibits the growth of bacteria on your flooring and provides you with the peace-off-mind that comes from a healthy home environment.



ANTI-SLIP CLASSES

Safety is something we put great emphasis on. Classification in anti-slip classes (R9 and R10) has been achieved through specially developed surface structures, which address the requirements for floor coverings in the workplace and commercial areas where a high risk of slipping is present.



GUARANTEED ANTI-STATIC

KronoOriginal® Anti-Static floors provide complete protection against unpleasant shocks. The Anti-Static is built-in and guaranteed for the life of the floor. In addition, these floors do not attract dust and dirt in the conventional way and are therefore incredibly easy to keep clean.




INSTALLATION

The KronoOriginal® installation systems have been specifically designed to make fitting your laminate flooring as easy and hassle free as possible. The click profiles allow individual panels to be joined together quickly with minimal tools or complications.



^{*}Tested germs: Staphylococcus aureus, Escherichia coli

The perfect format for every room.







5Classic Board
2-Strip / 3-Strip / Multi-Strip
1285 x 192 mm
50½" x 7½"

CASTELLO CLASSIC 8 mm | 5/16"

KRONOFIX CLASSIC 7 mm | 9/32"

6 Wide Board Tile / Planked 1285 x 327 mm 501/2" x 121/8"

IMPRESSIONS / VARIOSTEP WIDE BODY 8 mm | 5/16" 7 Long Board Planked 2000 x 242 mm 6½' x 9½"

VINTAGE LONG 10 mm | 3/8"

Product overview

Range Plank Size	Utilization Class	AC Rating	Residential Guarantee ^{**}	Aquastop	Anti Bacterial Coating***	Locking system
TITAN PRESTIGE 1285 x 157 x 14 mm	33	AC5	30 years	14 mm HDF	anti bacterial coating ++ + A_B_C_	1clic 2go pure
FLOORDREAMS VARIO 1285 x 192 x 12 mm	33	AC5	30 years	12 mm HDF	anti bacterial coating ++++++++++++++++++++++++++++++++++++	1clic 2go pure
X-WAY 37 5 10 mm 628 x 157 x 10 mm 628 x 314 x 10 mm	32	AC5	30 years	♦ ♦ ♦ † 10 mm HDF	anti bacterial coating ++ + A_B_C_	quattro clic
VINTAGE LONG 2000 x 242 x 10 mm	32	AC4	30 years	10 mm HDF	anti bacterial coating ++++++++++++++++++++++++++++++++++++	1clic 2go pure
VINTAGE CLASSIC 1285 x 192 x 10 mm	32	AC4	30 years	10 mm HDF	anti bacterial coating ++ + A_B_C	1clic 2go pure
SUPREME VARIO 1285 x 192 x 10 mm	33	AC5	30 years	10 mm HDF	anti bacterial coating ++++++++++++++++++++++++++++++++++++	1clic 2go pure
IMPRESSIONS 635 x 327 x 8 mm 1285 x 327 x 8 mm	32	AC4	20 years	\$8mm HDF	anti bacterial coating +++ A_B.C.	1clic2go pure
SUPER NATURAL CLASSIC 1285 x 192 x 8 mm	32	AC4	20 years	\$8 mm HDF	anti bacterial coating ++ + A_B.C.+	1clic 2go pure
VARIOSTEP WIDE BODY 1285 x 327 x 8 mm	32	AC4	20 years	\$ 8 mm HDF	anti bacterial coating ++ + A.B.C.+	1clic2go pure
VARIOSTEP CLASSIC 1285 x 192 x 8 mm	32	AC4	20 years	\$ 8 mm HDF	anti bacterial coating ++ + A.B.C.+	1clic 2go pure
CASTELLO CLASSIC 1285 x 192 x 8 mm	32	AC4	20 years	\$8mm HDF	anti bacterial coating ++ + A_B_C_	twin clic
KRONOFIX CLASSIC 1285 x 192 x 7 mm	31	AC3	15 years	↑ 7 mm HDF	anti bacterial coating ++++++++++++++++++++++++++++++++++++	twin clic

www.krono-original.com www.facebook.com/KronoOriginal

V-Groove	U-Groove	Microscratch Protect	Authentic Embossed	Handscraped	Anti-Static	SKUs total
real groove		microscratch protect	authentic	handscraped *	anti-static	5
real groove		microscratch protect	authentic embossed			8
real groove		microscratch protect	authentic	handscraped		8
real groove		microscratch protect	authentic	handscraped *		5
real groove		microscratch protect	authentic	handscraped *		13
real groove		microscratch protect				6
real groove	real groove		authentic embossed			12
real groove			authentic embossed			21
real groove						8
real groove						28
						18
						11
* Selected decors ** According to the cond	ditions of guarantee (deta	iled terms of guarantee: v	vww.krono-original.com			Σ 143

*** Tested germs: Staphylococcus aureus, Escherichia coli



The premium floor built to withstand whatever life throws at it.

1285 x 157 x 14 mm

- 14 mm laminate in the thickness of engineered flooring
- Guaranteed lifetime integrated Anti-Static effect
- Durable and hard wearing
- Microscratch Protect surface
- A.B.C. Anti Bacterial Coating
- Bevelled edges on all four sides of the panel












































Extra-tough floors in high quality.

1285 x 192 x 12 mm

- Durable and hard wearing
- Bevelled edges on all four sides of the panel
- Microscratch Protect surface
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges


















































Your floor. Your way.









Easy installation, even in hard to reach places like corners, doors and under radiators.

Innovation in 2 formats, combinable in any way. Newly developed 360 degree-installation profile. Stable, glued locking system.







Your floor. Your way.

628 x 157 x 10 mm

628 x 314 x 10 mm

- One floor endless possibilities
- Microscratch Protect surface
- Authentic Embossed texture
- Handscraped effect
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- Quattro clic: Newly developed 360 degree-installation profile




























Your floor. Your way.

Endless number of installation patterns from herringbone to square, trim to classic.






























Handscraped Authenticity you can see and feel.







"I'm a unique individual, with a unique personality. My home reflects this. I insist on surrounding myself with fabrics and furnishings that reflect my personal taste and my attitude to life. Flooring is crucial. It sets the tone as soon as you enter a room. I chose a KronoOriginal® floor with handscraped texture. It has style, is easy to install and is perfectly simple to care for. It ticks all my boxes."



The unique charm of our handscraped floor lies in its soft, oiled appearance with gentle, natural irregularities. Inspired by traditional handicrafts, this matt structure with elegant, glossy accents resembles a hand-finished wooden surface.







The authentic floorboard look.

2000 x 242 x 10 mm

- New format
- Suitable for mixed installations: VINTAGE LONG and VINTAGE CLASSIC
- Bevelled edges on all four sides of the panel
- Microscratch Protect surface
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges







































Worried about scratches? Not anymore!








"When choosing my floor, I naturally think about aesthetics, but I also care about durability – because top functionality is only guaranteed when aesthetics and usability work as one. Thanks to Microscratch Protect, my floors can reliably withstand the mechanical stresses of everyday life, whether big or small."



With a robust, durable surface, your floor is well-protected against the fine scratches that occur through high mechanical stress – your guarantee for carefree living.







A timeless combination.

1285 x 192 x 10 mm

- Suitable for mixed installations: VINTAGE CLASSIC and VINTAGE LONG
- Microscratch Protect surface
- Authentic Embossed texture
- Bevelled edges on all four sides of the panel
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges

























































Authentic Embossed Realism you can see and touch.







"I want to enjoy the natural beauty of real wood without the downsides associated with it. For that reason Authentic Embossed by KronoOriginal® is my choice. Synchronous pores unite classy real-wood aesthetics with comfort and practicality for a top-quality laminate floor."



Elegant contrasting and a thrilling multi-gloss effect recreate high-quality structures with the unique character of natural wood. The tactile synchronous pores follow the grain of the decor. Beauty you can see and feel.







High resistance and fantastic look.

1285 x 192 x 10 mm

- Durable and hard wearing
- Microscratch Protect surface
- Bevelled edges on all four sides of the panel
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges







































The look of **Ceramic Tiles.**

635 x 327 x 8 mm

1285 x 327 x 8 mm

- New tile format: 635 x 327 mm
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges
















































No problem!







"A low-maintenance floor is important for us, because our home can be a bit chaotic. Who really likes housework? We like things that make life a little easier – not hours of cleaning. Thanks to our KronoOriginal® floor, we can relax, as even tough stains like red wine, coffee, fruit stains and nail polish can be removed with ease. Just one wipe and it's clean! What's more, our floor is abrasion-resistant and durable. Our verdict: it's the perfect choice for everyday living!"



KronoOriginal® floors are a match for the everyday challenges of modern family life. The authentic look of real stone or wood with the wipe-clean convenience of a laminate. No wonder it's everyone's favourite.







A stunning new achievement in realism.

1285 x 192 x 8 mm

- Authentic Embossed textures
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges











































































Anti Bacterial Coating A.B.C.







"Cleanliness is important, especially if you've got little ones or pets running around. That's why I chose KronoOriginal® with an anti bacterial coating. We can't see germs, but we all know the problems they can cause if left unchecked. Allergies can be aggravated and illness can result. A.B.C. inhibits bacteria growth, so I can rest assured my family and I are protected from any nasty surprises."



You naturally want to keep your floor as clean and germ-free as possible. That's why KronoOriginal® applies an anti bacterial coating to all its flooring that inhibits bacteria growth. Together with regular cleaning, you can enjoy everyday life without worrying about your loved ones' health or well-being.



* Tested germs: Staphylococcus aureus, Escherichia coli





A beautiful wide plank effect.

1285 x 327 x 8 mm

- New format
- Four sided V-groove
- Extra-fast installation thanks to XL format
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges










































Striking floorboard aesthetics.

1285 x 192 x 8 mm

- Four sided V-groove
- Bevelled edges
- A.B.C. Anti Bacterial Coating
- 1clic 2go pure: Clickable short and long edges

















































































Healthy living – certified.







"I won't compromise my principles. When I buy something, I want to be sure it comes from sustainable sources. So I checked out KronoOriginal® floorings and found out they use timber from responsibly managed forests. I trust them because, being one of the world's leading manufacturers of laminate flooring, they have a sustainability policy which commits them to reducing their impact on the environment. Which means I can update my home with renewable materials."



Only wood from sustainably managed forests. Resource-efficient production. All of this amounts to an expression of a love that goes beyond numerical values: our love of nature.







A classic look with a new design.

1285 x 192 x 8 mm

- A.B.C. Anti Bacterial Coating
- Twin Clic Classic locking system: Clickable short and long sides
- Stain, moisture and imprint resistant
































































Favourite for everyday living.

1285 x 192 x 7 mm

- A.B.C. Anti Bacterial Coating
- Twin Clic Classic locking system: Clickable short and long sides
- Easy to keep clean and scratch resistant



















































Virtual room set-up at www.krono-original.com



www.krono-original.com www.facebook.com/KronoOriginal





Product overview

		THERMIC	COMFORT	ACOUSTIC	COMFORT	REQUIREMENTS BASED ON USE				
		* * * *		4	4		<u> </u>	* 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6 6		
	R		RWS	IS	CS	PC	SD			
Product	Thick- ness	Thermal resistance	Underfloor heating	Walking sound reduction	Impact sound reduction	Load	Uneven floor	Moisture protection*		
PUR 2.0	2.0 mm	-	///	//	11	///	✓	///		
W00D 5.0	5.0 mm	11	-	_		///		PE foil required!		
XPS 5.0	5.0 mm	///	_	✓		//	111	PE foil required!		
XPS 2.2 ALU	2.2 mm	-	/ /	_		//	√	///		
				Charac	eteristics //	✓ brilliant	√√ good	√√ limited		

^{*} Insulation sealed with aluminium tape

Underlays

Depending on the situation in the room, attention must be paid to the correct underlay material when laying the floorings. For this we offer 4 underlayments.



PUR 2.0

This professional acoustic mat consists of mineral fillers and polyurethane binders. PUR 2.0 comes with walking sound reduction, low thermal resistance as well as integrated moisture protection are also impressive features.



WOOD 5.0

The insulation board is made from wood fibres and is particularly suitable for use with uneven subfloors. Because of its high wood content, a PE foil must be laid underneath for moisture protection when installing on a mineral subfloor.



XPS 5.0

5 mm thick panels from extruded polystyrol. Excellent insulating properties and high impact sound reduction. Levels uneven patches of up to 4 mm.



XPS 2.2 ALU

The 2.2 mm thin foldable matt is easy and quick to lay out due to its bonded aluminium layer and the integrated adhesive tape.

Skirting boards

Choose from a range of skirting in various decors to suit all KronoOriginal® floors. Our clever fixing system makes it quick and simple to achieve a perfect installation. Please find here a small selection of our skirting.



K40C 2600 x 40 x 19 mm



K58C 2600 x 58 x 18 mm



Trendy skirting board, shaped2600 x 58 x 17 mm
2600 x 70 x 17 mm
2600 x 100 x 17 mm

Mounting parts

Suitable for various skirting boards.



15 meter skirting boards can be easily and professionally fitted with the contents of one packet. The set is supplied complete with screws and wall plugs.

Corner pieces

Available for skirting systems K40C and K58C.



External corner | Internal corner | End cap Coloured corners available in white, beige, grey, silver and dark brown.

Further laying accessories, cleaning and reparation sets, moldings and profiles you will find in our accessories catalogue.

Floor profiles

Floor profiles enable you to create smooth crossovers between different rooms or floorings. End profiles also ensure perfect edge finishes. Please find here a small selection of our profiles.







Transition profile

For level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed.

900 mm or 2700 mm

End profile

For clean finishes and joints at walls and other boundaries. Available in the following metallic finishes: stainless steel, silver and sand brushed.

Ramp profile

For different level floorings. For screw or click-in fixing. Available in the following metallic finishes: stainless steel, silver and sand brushed. 900 mm or 2700 mm

Packaging information

Product	Plank Size	Thickness	Planks/Pack.	m² I sq ft/Pack.	Weight/Pack. [kg I lbs]	Pack./Pallet = m ² I sq ft
TITAN PRESTIGE	1285 x 157 mm 50½" x 6¾6"	14 mm %16"	7	1.41 15.20	18 39	30 = 42 456
FLOORDREAMS VARIO	1285 x 192 mm 50½" x 7½"	12 mm ½"	6	1.48 15.93	15 34	52 = 77 828
x-way	628 x 157 mm 24 1/4" x 6 ³ /16" 628 x 314 mm 24 1/4" x 12 ³ /8"	10 mm 3/8"	9	0.89 9.55 1.77 19.10	8 16 16 36	80 = 71 764 32 = 57 611
VINTAGE LONG	2000x242mm 6½'x9½"	10 mm 3/8"	5	2.42 26.04	20 44	30 = 73 781
VINTAGE CLASSIC	1285 x 192 mm 50½" x 7½"	10 mm ³ ⁄8"	7	1.73 18.58	15 33	52 = 90 966
SUPREME VARIO	1285 x 192 mm 50½" x 7½"	10 mm ³ / ₈ "	7	1.73 18.58	15 33	52 = 90 966
IMPRESSIONS	635 x 327 mm 25" x 12\%" 1285 x 327 mm 50\\%" x 12\%"	8 mm 5/16"	11 6	2.28 24.58 2.52 27.13	15 34 17 38	32 = 73 786 30 = 76 814
SUPER NATURAL CLASSIC	1285 x 192 mm 50½" x 7½"	8 mm 5/16"	9	2.22 23.89	15 34	52 = 115 1242
VARIOSTEP WIDE BODY	1285 x 327 mm 50½" x 12½"	8 mm ⁵ / ₁₆ "	6	2.52 27.13	18 38	30 = 76 814
VARIOSTEP CLASSIC	1285 x 192 mm 50½" x 7½"	8 mm ⁵ / ₁₆ "	9	2.22 23.89	15 34	52 = 115 1242
CASTELLO CLASSIC	1285 x 192 mm 50½" x 7½"	8 mm 5/16"	9	2.22 23.89	15 34	52 = 115 1242
KRONOFIX CLASSIC	1285 x 192 mm 50½" x 7½"	7 mm %32"	10	2.47 26.58	15 33	52 = 128 1380

Skirting boards – Decor matching overview

		1										1	
		FLOORDREAMS		ő			ಶ						
4	Щ	RE/		9		ш	NO SIO	40	실실	₩ C	90	¥.o	skirting
decor	STIC	의 O	¥	IAGE	SSIC	를 O	RES	URA	IOSI E BC	SSIC	SSIC	SSIC	skirting boards
	TITAN	YAR	X-WAY	VINTAGE LONG	VINTAGE	SUPREME	IMPRESSIONS	SUPER NATURAL CLASSIC	VARIOSTEP WIDE BODY	VARIOSTEP	CASTELLO	KRONOFIX	
49												1	9854
709											1	,	709
1675											1		9852
4009											'	1	8466
4274										1		'	4274
4282											1		4278
4283											1		4283
4298							1				'		L063
5236							'					1	4275
												1	4275
5340 5529										1	1		8463
5536					1						!		5536
					1								
5537					1								8573
5539					1								5539
5541		1						1					5541
5542		1						1					5542
5543								1					5543
5936										1			9807
5943					1								L002
5945												1	8836
5946									1	1			L004
5947	1		2	1	1								8285
5953	1			1	1								L003
5954				1									5542
5958											1		4283
5966										1			5543
5985										1			8573
6952											1		9833
7209												1	L004
8072											1		8218
8096											1		8096
8155				1	1								8155
8156					1								8156
8157					1								8157
8168						1					1		5165
8199										1			8218
8259												1	L057
8274										1			9139
8352												1	5539
8456									1				8836
8461										1			8461
8475							1						8475
8521											1		8521
8573	1							1					8573
8575								1					8575
8576								1					8576
8630		1						1					8630
8631								1					8631
8632								1					8632
8633		1						1					8633
8634		1						1					8634
8714										1			9807
8721											1		L066
8812											1		5915
8837										1			8837

www.add2-flooring.com

		FLOORDREAMS		٥ Z			မ္						
door	Ж	BE/		9		l fi	Sion	٥٦	PP	<u> </u>	9.0	×ω	skirting
decor	Z SI	OR O	≽	AGE	SSIC	₩ O	JESS	URA	IOS1	SSIG	SSIC	SSIC	skirting boards
	TITAN	VAR	X-WAY	VINTAGE LONG	VINTAGE	SUPREME	IMPRESSIONS	SUPER NATURAL CLASSIC	VARIOSTEP WIDE BODY	VARIOSTEP	CASTELLO	KRONOFIX	
K023							1						L077
K035							1						4375
K039											1		L004
K040											1		8466
K042												1	5544
K056												1	4295
K057										1			8220
K060		1						1					L004
K061								1					8529
K071												1	8218
K266								1					8836
K267								1					L004
K268								1					8572
K275								<u> </u>		1			4275
K277										1			L057
K281												1	5539
K285			2										4274
K287			2										8096
K315										1			L055
K325								1					8467
K325				1				1					8836
K327				'				1					8092
K328								'		1			L060
K336		1								1			L003
		'											
K337										1			5542 4274
K375										'			L076
	1	1					1						
K385							1						8282 L075
K386													
K387							1						L061
K388							1						L062 8475
K389							1						
K390							1						L072
K391								1					709
K392	1							1	1				L071
K393									1				L029
K394											1		8461
K395											1		L071
K396						1					1		L003
K397										1			L069
K398						1							L065
K399										1			L038
K405						1							R002
K406						1			1				8575
K407										1			L070
K408										1			8461
K409							1						L073
K410							1						L074
K411			2		1								5539
K412					1								8573
K413					1								L064
K414					1								5535
K415									1	1			9822
K416						1			1				L067
K417									1	1			L068
K418										1			L057
K419										1			8220
K420										1			8467

Lampertswalde, Germany

35-hectare factory complex in Lampertswalde (Germany) – equivalent to 50 football pitches.



Made by Kronospan

Dependable. Durable. Close to our customers. For us 'being close to you' is not simply a geographical concept but an integral part of our philosophy. Close to you in our way of thinking, in discernment and in understanding your needs. Which means we are always there for you.






Get the Krono Decor App now!



Available in Apple App Store.

Discover the wide range of products from KronoOriginal® – high quality flooring. This app provides an extensive overview of all flooring designs in the KronoOriginal® collection. Get information on almost 140 different quality floors, including designs, sizes and dimensions. You will also find our warranty information and installation instructions. For every decor we provide the corresponding item number in order to facilitate buying our quality flooring from selected retail outlets.







www.krono-original.com www.facebook.com/KronoOriginal

